

1 – What the software delivers :- Estimations, Quotations & Invoices



Allerton- Electrical .co
729 0095 **Plumbing** .uk
07944 296136 **Services**

Contact : GregMcCormack@Allerton-EPS.co.uk
184 Mather Avenue, Allerton, Liverpool L18 7HD

Quotation
20080999

26th September 2008

Customer Mrs Mary Poppins	Works Address 29 Sparrow Road L15 2EJ	Contact Details Tel : 123 4567 Jay's 07944 296136 Mobile : Email :
Description of Work 349 Turriff Road L14 2EJ	Bathroom refit	

Headers can be changed as well

Thank you for inviting Allerton-EPS.co.uk to quote for your work. We are pleased to hear that you are happy with our quotation.
Please find below our Quotation, we hope that this meets with your approval.
Feel free to contact us for any clarifications or slight changes in the scope of the job.

Item	Description	Source / Price Check	Qty / Count	Unit Price	Price
Materials :-					
1	Consumer Board with twin RCDs		1	£ 101.10	£ 101.10
2	Plywood 18mm for Shower Base, Shower Tray, Checks of wood to create the shower plinth, Plywood 18mm for wall, Plywood 18mm for wood to go around base of tray		5		
3	14 mtrs of 10mm ² SWG Cable for Heating, 20mm ² Formin, 50 Amp Pull switch, 15mm ² cable for shower, Isolation valve 15mm (screwdriver)		5		£ 327.40
4	4 Boxes of Plain White Tiles, 1 1Kg Bag of Tile Grout, 1 Tub of Tile Adhesive		3		
5	2 Mtrs of Chromed Pipe - 15mm, 15mm Elbow, 15mm Tees, 2 mtrs of 15mm PEX Flexible Pipe, 3 mtrs of Pine Laggings, Shower Waste Trap - 40mm		6		
6	Man With Access = Brodas Road, 184 Mather Avenue, Allerton, Liverpool L18 7HD, Street, Telephone 07944 296136		1	£ 40.00	
Consumables :-					
7		examples	1	£ 20.00	£ 20.00
Labour :-					
8	Running the cable, Wiring Up the Pull Switch and Shower Tray, Wiring up shower including isolator opposite door		3		£ 330.00
9	Tapping into rising main and plumbing to ensure water integrity				
Electrical Certification :-					
10	Electrical Inspection and Testing & Issuing of Certificate / Report		1	£ 30.00	£ 30.00
11	Notification to Building Control for Domestic Installer Scheme		1	£ 8.50	£ 8.50
Total					£ 817.00

SuperGroups
combining the price of lots of groups so your customer can't see your detailed breakdown

Colours
so that that materials can be paired up with their labour elements

Qty / Count
Quantity of one elements OR Count of elements

Optional Group
Optional price not included in final price

Weblinks

Groups can have hidden elements
Elements that are included in the price but not seen by your customer. Things like 'Setting Up time'.

VAT Registered ?
if the company is VAT registered extra lines appear here

By placing an order for work, you agree to our Terms and Conditions. General Terms and Conditions are available on our website, or can be requested from us at the time of ordering the work.



Please visit us at <http://www.Allerton-EPS.co.uk>
184 Mather Avenue, Liverpool L18 7HD
Contact :- GregMcCormack@Allerton-EPS.co.uk
Tel : 0151 729 0095 Mobile : 07944 296136

1 – Behind the scenes Labour Analysis & Materials Sheet



Allerton- Electrical Plumbing Services
729 0095
07944 296136
Contact : GregMcCormack@Allerton-EPS.co.uk
184 Mather Avenue, Allerton, Liverpool L18 7HD

Labour Analysis

20080906

Customer Mrs Ro	Work Address
Description of Work Bathroom refit	

Label everything up., Remove the existing board., Fix the new board in the same location, ensuring good access to the rear of the consumer board, Push all the wires through the holes, If there are some wires that need extending then use crimps to extend them., Do essential tests for the outgoing circuits., Wire everything up, Test RCDs. Back at base fill out the ScheduleOfTestResults

Running the cable, Wiring up the Pull Switch and Shower, Cabling up shower : including isolator opposite door, trunking in the bedroom and hallway

Tiling and Grouting, ReFixing Shower Cubicle screen and doors (used from the old installation), Siliconing and Sealing

Tapping into rising main and plumbing in shower, Mounting the shower and testing for water integrity

26th September 2008

Predicted / Quotation

Total for Quotation £ 675.00

Choose Printing Mode for this page

Make figures invisible for presenting / printing.

Reveal Figures.

LABOUR ANALYSER		0 Hrs	0%	Groups		Engineer	Optional Multiplier	
Quotation Both Invoice		of Quotation	Done	Colour	Q	/	Hrs	£
					Quotation	Rate	33.75	
#		0%			Engineer1			£ -
#		0%			Engineer1			£ -
#	Task0302 - New Electric Shower	0%			ShowerElec	Engineer1		£ -
#	Running the cable	0%			ShowerElect	Engineer1	4	£ 80.00
#	Wiring Up the Pull Switch and Shower	0%			ShowerElect	Engineer1	2	£ 40.00
#	Tapping into rising main and plumbing in shower	0%			ShowerWate	Engineer1	2	£ 40.00
#	Mounting the shower and testing for water integrity	0%			ShowerWate	Engineer1	7.5	£ 150.00
#	Cabling up shower : including isolator opposite door, trunking in the bedroom and hallway	0%			ShowerElect	Engineer1	1	£ 20.00
#		0%			Engineer1			£ -
#		0%			Engineer1			£ -
#		0%			Engineer1			£ -
#	Task0305 - Change of Consumer Board	0%			_ConBoard	Engineer1		£ -
#	Quotation and Setting Up	0%			_ConBoard	Engineer1	1	£ 20.00
#	Label everything up.	0%			_ConBoard	Engineer1	0.25	£ 5.00
#	Remove the existing board.	0%			_ConBoard	Engineer1	0.5	£ 10.00
#	Fix the new board in the same location, ensuring good access to the rear of the consumer board	0%			_ConBoard	Engineer1	1	£ 20.00
#	Push all the wires through the holes	0%			_ConBoard	Engineer1	0.25	£ 5.00
#	If there are some wires that need extending then use crimps to extend them.	0%			_ConBoard	Engineer1	0.25	£ 5.00
#	Do essential tests for the outgoing circuits.	0%			_ConBoard	Engineer1	0.25	£ 5.00
#	Wire everything up	0%			_ConBoard	Engineer1	0.5	£ 10.00
#	Test RCDs	0%			_ConBoard	Engineer1	0.25	£ 5.00
#	Back at base fill out the ScheduleOfTestResults	0%			_ConBoard	Engineer1	1	£ 20.00
#		0%			Engineer1			£ -
#		0%			Engineer1			£ -

Make use of the Task database
Make up your own tasks and store them in the Task database, then call them up to populate the Labour Analysis Sheet and the Materials Sheet

The Materials Sheet makes use of Primary Key coding
Specify PrimaryKeys with no space between the SubWords :- such as 'DoubleSocket', 'LightPendant'.
Our sophisticated searching routines know that 'Double' is the same as 'TwoGang' or '2Gang'; and doesn't care whether it is 'DoubleSocket' or 'SocketDouble'

MarkUp rate
You can use the Standard Mark Up Rate for the sheet, or the one pulled up from the Materials Database for this particular material Or you can type in your own for this particular customer.

Invoke Macro
Search Material Database to find Primary Key

How to Present to Customer

33%

Invoke Macro Fill Out QU
Consumer Board with twin RCDs
Plywood 18mm for Shower Base, Shower Tray, Chocks of wood to support Elbow(s) - 40mm, Thin Bendy Plywood to go around
14 mtrs of 10mm2 Shower cable, 2off Trunking 25mm x 16mm, 50 Amp Pull switch for shower, Isolation valve 15mm (screwdriver)
4 Boxes of Plain White Wall Tiles, 1Kg Bag of Tile Grout, 1 Tub

Primary Key	Description 1 (If Primary Key set then will get overwritten by Macro)	Groups		Quantity		Qty per Unit	Units		Unit Price	incVAT	Supplier's Price	Customer's Price	
		Quotation	Invoice	Quotation	Invoice		Quotation	Invoice					
Cable10sqmmPerMtr	% 10mm2 Shower cable	ShowerElect		14		1	14	mtr	£3.00	excVAT	£ 49.35	33%	£ 65.70
Trunking25mmx16mm	% Trunking 25mm x 16mm	ShowerElect		2		1	2	Unit	£1.70	excVAT	£ 4.00	33%	£ 5.40
PullSwitch50AmpShowerIsolator	% 50 Amp Pull switch	ShowerElect		1		1	1	Unit	£7.25	excVAT	£ 8.52	45%	£ 12.40
SurfaceMountedBackplateShower	% surface mounted backplate for shower	ShowerElect		1		1	1	Unit	£1.10	excVAT	£ 1.29	33%	£ 1.80
Pipe15mmChromePerMtr	% Chrome piping - 15mm	ShowerWater		2		1	2	Mtr	£8.00	excVAT	£ 18.80	40%	£ 26.40
PipeElbow15mmRingSoldered	% 15mm Elbow	ShowerWater		2		5	1	Unit	£1.75	incVAT	£ 1.75	33%	£ 2.40
PipeTee15mm	% 15mm Tees	ShowerWater		1		2	1	Unit	£2.69	incVAT	£ 2.69	33%	£ 3.60
ScrewdriversIsolatorValve15mm	% Isolation valve 15mm (screwdriver)	ShowerWater		1		1	1	Unit	£0.76	incVAT	£ 0.76	120%	£ 1.70
ConsumerUnit_CFN	% Consumer Board with twin RCDs	_ConBoard		1		1	1	Unit	£76.00	incVAT	£ 76.00	33%	£ 101.10
PlasticPipe15mmPerMtr	% 15mm PEX Flexible Pipe	ShowerWater		2		1	2	mtr	£0.70	incVAT	£ 1.40	150%	£ 3.50

1 – Comments from users

On the next few sheets you see the Electrical Certification aspect of the software.

In the previous sheets we briefly touched on some of the benefits and flexibility of the financial side of the software. There's lots more sophistication – but it is important to realise that what you have just seen, can be achieved in 10 minutes. The rest of the software just speeds up that process.

Here are some comments that we have received with regard to the software.

“It's possibly the best piece of software I own at the moment”
Daniel Halstead, Fulham, London

The software looks very good, thanks, also a fast and very helpful person
Michael Rayner, Norwich

“Software is very good and easy to use”
Brian Moore, Milton Keynes

“Fantastic. Would recommend to anyone.”
Colin Clark, Wandsworth, London,

“Ace software !!! 1st class all round !!! Many thanks A+”
Steve Fletcher, Arlesey, Bedfordshire

“Software works a treat, thanks very much. Good support”
David Gibbard, Milton Keynes

1 – What the software delivers :- Electrical Certificates



This certificate is not valid if the serial number has been defaced or altered

DCP4/ 20081002

This safety certificate is an important and valuable document which should be retained for future reference

DOMESTIC ELECTRICAL INSTALLATION CERTIFICATE

Issued in accordance with British Standard 7671 - Requirements for Electrical Installations by a Domestic Installer enrolled with NICEIC, Warwick House, Houghton Hall Park, Houghton Regis, Dunstable LU5 5ZX

DETAILS OF THE CLIENT		ADDRESS OF THE INSTALLATION	
Client and address	Fr: 10 G	Installation address	Fla: 10 Gr Liv
	Tel: 494 5		Postcode: L19 0PW
	Mobile: Mobi		
	Postcode: L1		

DETAILS OF THE INSTALLATION	The installation is
Extent of the installation work covered by this certificate	New <input type="checkbox"/>
Additional to the ring main & new consumer board	An addition <input checked="" type="checkbox"/>
	An alteration <input type="checkbox"/>

DESIGN, CONSTRUCTION, INSPECTION AND TESTING
I / We, being the person(s) responsible for the design, construction, inspection and testing of the electrical installation (as indicated by my / our signature adjacent), particulars of which are described above, having exercised reasonable skill and care when carrying out the design, construction, inspecting and testing, hereby CERTIFY that the said work for which I / We have been responsible is, to the best of my / our knowledge and belief, in accordance with BS7671:2001 amended to 2004 except for the departures, if any, detailed as follows:
Details of departures from BS7671, as amended (Regulations 120-01-03, 120-02)
None
The extent of liability of the signatory is limited to the work described above as the subject of this certificate. For the DESIGN, the CONSTRUCTION and the INSPECTION AND TESTING of the installation.
Signature: _____ Name: _____ (CAPITALS) Date: 10th Nov 08
The results of the inspection and testing reviewed by the Qualified Supervisor
Signature: _____ Name: _____ (CAPITALS) Date: _____

PARTICULARS OF THE DOMESTIC INSTALLER	NEXT INSPECTION
Trading Title: AllertonEPS	Interval in terms of years, months or weeks, as appropriate
Address: 184 Mather Avenue	I RECOMMEND that this installation is further inspected and tested after an interval of not more than _____
Allerton	
Liverpool	
Tel: 0151 729 0095	
Mobile: 07944 296136	
Postcode: L18 7HD	
NIC Enrolment No (essential information): 1 0 5 6 7 5	
	COMMENTS ON EXISTING INSTALLATION (Note: Enter None or where appropriate, the page number(s) of additional page(s) of comments on the existing installation)
	SCHEDULE OF ADDITIONAL RECORDS (See attached schedule)

* Where the electrical work to which this certificate relates includes the installation of a fire alarm system and / or an emergency lighting system (or a part of such systems) this electrical safety certificate should be accompanied by the particular certificate(s) for the system(s)

This form is based on the model Electrical Installation Certificate shown in Appendix 6 of BS7671 (as amended). As published by NICEIC Group Limited

Please see the 'Notes for Recipients'

Page 1 of 4 DCP4/



Double Click to move the Tick

Customer Name Work's Address W Pstcode

This certificate is not valid if the serial number has been defaced or altered

DCN4/ This is the template

ELECTRICAL INSTALLATION CERTIFICATE

SUPPLY CHARACTERISTICS	Nature of supply parameters	Characteristics of primary supply overcurrent protection device(s)
System type(s): TN-S, TN-C-S, TT	Nominal voltage(s) U ⁽¹⁾ 230 V, U ₀ ⁽¹⁾ 230 V, Nominal frequency f ⁽¹⁾ 50 Hz, External earth fault loop impedance Z _s ⁽¹⁾ 0.80 Ω	BS(EN) 1361, Type II B, Rated current 100 A, Short-circuit capacity kA
Number and type of live conductors: 1-phase (2 wire), 1-phase (3 wire), 3-phase (3 wire), 3-phase (4 wire), Other	Single phase Prospective fault current I _{pf} ⁽²⁾⁽³⁾ kA, 3-phase Prospective fault current I _{pf} ⁽²⁾⁽³⁾ kA	
PARTICULARS OF INSTALLATION AT THE ORIGIN	Measured Z _e	Main switch or circuit-breaker
Means of Earthing: Distributor's Facility, Installation earth electrode	Measured Z _e 0.80 Ω, Maximum demand (Load) Amps, Protective measures for fault protection ADS, Number of smoke alarms	BS(EN) Voltage rating 230 V, No of poles 2, Current rating I _n 100 A
Details of installation earth electrode (where applicable): Type, Location, Electrode resistance R _a , Method of measurement		Supply conductors material COPPER, RCD operating current I _{Δn} , Supply conductors csa mm ² , RCD operating time (at I _{Δn}) ms
Earthing conductor: Conductor material COPPER, Conductor csa 16 mm ² , Continuity check	Main equipotential bonding conductors and bonding of extraneous-conductive-parts (✓): Conductor material COPPER, Location, Water service, Gas service, Structural steel, Other incoming service(s)	

SCHEDULE OF ITEMS INSPECTED	Additional Protection	Cables and Conductors (cont)	SCHEDULE OF ITEMS TESTED
Protective measures against electric shock: Basic and Fault Protection, Extra low Voltage, Double or reinforced insulation SELV, Double or reinforced insulation, Basic Protection, Fault Protection, Automatic disconnection of supply, Electrical separation	Presence of residual current device(s), Presence of supplementary bonding conductors, Prevention of mutual detrimental influence, Identification, Cables and Conductors	Routing of cables in prescribed zones, Cables incorporating earthed armour or sheath or run in an earthed wiring system, Connection of conductors, Presence of fire barriers, suitable seals and protection against thermal effects, General	External earth fault loop impedance, Z _e , Installation earth electrode resistance, R _a , Continuity of protective conductors, Continuity of ring final circuit conductors, Insulation resistance between live conductors, Insulation resistance between live conductors and earth, Polarity, Earth fault loop impedance, Z _s , Verification of phase sequence, Operation of residual current device(s), Functional testing of assemblies, Verification of voltage drop

† All boxes must be completed. This form is based on the model Electrical Installation Certificate shown in Appendix 6 of BS7671 (as amended). As published by NICEIC Group Limited

† See note below. ‡ Where a smoke alarm has been installed, separate certification is required on the appropriate form.

Page 3 of 4

Double Click to move between ✓, ✗, LIM, n/a

Any combination of Colour of the form, whether it is an Electrical Certificate OR an Domestic Electrical Certificate can be accommodated.

Original (To the person ordering the work)

Original (To the person ordering the work)

1 – What the software delivers :- Electrical Certificates

This certificate is not valid if the serial number has been defaced or altered **DCM3/ This is the template**

DOMESTIC ELECTRICAL INSTALLATION CERTIFICATE

CIRCUIT DETAILS													TEST RESULTS																		
Position	Circuit Designation (For Distribution Circuits, insert 'D')												RCD		Circuit Impedances						Insulation Resistance				RCD Operation			Remarks			
	Counting from Isolator	Type of Wiring (see Appendix 6 of BS7671)	Reference Method (see Appendix 6 of BS7671)	Number of Points Served	Circuit Conductors (c/sa)		Max Disconnection Time (s)	Overcurrent Protective Device				Operating Current (mA)	Maximum Z_s permitted by BS7671 (Ω)	Ring Circuits only measured end to end			All Circuits			Line-Neutral / Earth		Line-Neutral / Earth		Polarity	Earth Loop Impedance Z_s (Ω)	$\frac{1}{2}$	x1 (30mA)		x5	Push button	Maximum Demand
					live (mm ²)	cpc (mm ²)		BS (EN)	Type	Rating (Amps)	Capacity (kA)			R_1 line (Ω)	r_n neutral (Ω)	r_2 cpc (Ω)	$R_1 + R_2$ (Ω)	R_2 (Ω)	Line / Neutral	Line / Earth	Neutral / Earth										
Origin (meter tails)													25	16																	
1	RCD A																														
3	A1	Shower	A	101	1	10	4	0.4	BS EN 60898	B	63	6	30	1.15				0.08	-	>199	>199	>199	>199	✓	0.59	✓	33	11	✓		
4	A2	Kitchen & Upstairs Ring				2.5	1.5	0.4	BS EN 60898	B	40	6		1.44	0.27	0.28	0.48				68.4	LIM	65.3	66.3		0.73					
5	A3	Alarm, Doorbell				1.5	1	0.4	BS EN 60898	B	6	6		7.67																	
6	A4	Downstairs Lights				1.5	1	0.4	BS EN 60898	B	6	6		7.67																	
7	B4	Upstairs Lights				1.5	1	0.4	BS EN 60898	B	6	6		7.67																	
8	B3	Immersion Heater				2.5	1.5	0.4	BS EN 60898	B	20	6		2.30				LIM	LIM	2.12	2.17										
9	B2	Downstairs Ring				2.5	1.5	0.4	BS EN 60898	B	32	6		1.44	0.41	0.44	1.07				>199	>199	>199	>199		0.97	✓	18	12	✓	
10	B1	Cooker				1	4	1.5	0.4	BS EN 60898	B	32	6		1.44																
11	RCD B																														
12																															
Location of consumer unit(s)													Designation of consumer unit(s) CPN											Prospective fault current at consumer unit(s)			kA				

TEST INSTRUMENTS											
Test instrument's (serial numbers) used											
Insulation Resistance	Beha, Unitest 0100 DT E0196XJ	Continuity	Beha, Unitest 0100 DT E0196XJ	Earth electrode resistance	Beha, Unitest 0100 DT E0196XJ	Earth fault loop impedance	Beha, Unitest 0100 DT E0196XJ	Z_e	0.00 Ω	Z_{pn}	0.00 Ω
RCD											
Beha, Unitest 0100 DT E0196XJ											
Type of Wiring -- TN-S Max $Z_e = 0.80$											

* - See notes on schedule of test results

TYPE OF WIRING									
A	B	C	D	E	F	G	H	O - (Other - Please Specify)	
PVC / PVC cables	PVC cables in metallic conduit	PVC cables in non-metallic conduit	PVC cables in metallic trunking	PVC cables in non-metallic trunking	PVC / SWA cables	XLPF / SWA cables	Mineral-insulated cables		

Green forms are for Non-Registered Electrical Contractors AND yet this software can issue a 'Green' Domestic Electrical Certificate
OR
(as below) a Domestic Installer can issue an Electrical Certificate.

This certificate is not valid if the serial number has been defaced or altered **DCP4/ This is the template**

ELECTRICAL INSTALLATION CERTIFICATE

CIRCUIT DETAILS													TEST RESULTS																		
Position	Circuit Designation (For Distribution Circuits, insert 'D')												RCD		Circuit Impedances						Insulation Resistance				RCD Operation			Remarks			
	Counting from Isolator	Type of Wiring (see Appendix 6 of BS7671)	Reference Method (see Appendix 6 of BS7671)	Number of Points Served	Circuit Conductors (c/sa)		Max Disconnection Time (s)	Overcurrent Protective Device				Operating Current (mA)	Maximum Z_s permitted by BS7671 (Ω)	Ring Circuits only measured end to end			All Circuits			Line-Neutral / Earth		Line-Neutral / Earth		Polarity	Earth Loop Impedance Z_s (Ω)	$\frac{1}{2}$	x1 (30mA)		x5	Push button	Maximum Demand
					live (mm ²)	cpc (mm ²)		BS (EN)	Type	Rating (Amps)	Capacity (kA)			R_1 line (Ω)	r_n neutral (Ω)	r_2 cpc (Ω)	$R_1 + R_2$ (Ω)	R_2 (Ω)	Line / Neutral	Line / Earth	Neutral / Earth										
Origin (meter tails)													25	16																	
1	RCD A																														
3	A1	Shower	A	101	1	10	4	0.4	BS EN 60898	B	40	6	30	1.15				0.08	-	>199	>199	>199	>199	✓	0.59	✓	33	11	✓		
4	A2	Kitchen & Upstairs Ring				2.5	1.5	0.4	BS EN 60898	B	32	6		1.44	0.27	0.28	0.48				68.4	LIM	65.3	66.3		0.73					
5	A3	Alarm, Doorbell				1.5	1	0.4	BS EN 60898	B	6	6		7.67																	
6	A4	Downstairs Lights				1.5	1	0.4	BS EN 60898	B	6	6		7.67																	
7	B4	Upstairs Lights				1.5	1	0.4	BS EN 60898	B	6	6		7.67																	
8	B3	Immersion Heater				2.5	1.5	0.4	BS EN 60898	B	20	6		2.30				LIM	LIM	2.12	2.17										
9	B2	Downstairs Ring				2.5	1.5	0.4	BS EN 60898	B	32	6		1.44	0.41	0.44	1.07				>199	>199	>199	>199		0.97	✓	18	12	✓	
10	B1	Cooker				1	4	1.5	0.4	BS EN 60898	B	32	6		1.44																
11	RCD B																														
12																															
Location of consumer unit(s)													Designation of consumer unit(s) CPN											Prospective fault current at consumer unit(s)			kA				

TEST INSTRUMENTS											
Test instrument's (serial numbers) used											
Insulation Resistance	Beha, Unitest 0100 DT E0196XJ	Continuity	Beha, Unitest 0100 DT E0196XJ	Earth electrode resistance	Beha, Unitest 0100 DT E0196XJ	Earth fault loop impedance	Beha, Unitest 0100 DT E0196XJ	Z_e	0.00 Ω	Z_{pn}	0.00 Ω
RCD											
Beha, Unitest 0100 DT E0196XJ											
Type of Wiring -- TN-S Max $Z_e = 0.80$											

* - See notes on schedule of test results

TYPE OF WIRING									
A	B	C	D	E	F	G	H	O - (Other - Please Specify)	
PVC / PVC cables	PVC cables in metallic conduit	PVC cables in non-metallic conduit	PVC cables in metallic trunking	PVC cables in non-metallic trunking	PVC / SWA cables	XLPF / SWA cables	Mineral-insulated cables		

Legal stuff

EQIC - Estimation, Quotation, Invoice, Certification software is owned and maintained by

www.AllertonEPS-Software.co.uk

It has been made available to other businesses for their use. Businesses **so entitled**, will receive revisions and enhancements when they are available, providing Allerton-EPS has a current email address available.

We cannot be held liable for any loss how-so-ever caused – our software is provided in good faith and the responsibility for the accuracy of the Quotations, Invoices and Certificates produced by this software lies wholly with the user of the software.

Privacy Policy

AllertonEPS-Software is totally committed to the privacy of our customers and users. We take this commitment very seriously.

Personal Information

We do not give, sell or otherwise share any of your personal information with any third party unless we have your specific approval or unless we believe that the law requires us to do so. This personal information includes any data we collect in order to process an order for purchase of one of our products as well as non-purchase related data collected from our users such as email newsletters, surveys, or downloads of free software.

Advertising and Marketing

AllertonEPS-Software delivers promotional messages on behalf of third party advertisers targeted on the basis of collected user data, such as through banner ads and email newsletters. We believe these product and services offers will be of interest to our users, and in all cases your personal information is not provided to these parties.

We may also communicate with our users through email product updates, promotions, and newsletters. In all cases, collection of your email address will occur with your full knowledge and consent. You also have the ability to opt-out of such communications at any time.

Cookies

AllertonEPS-Software does not use cookies

Please contact us if you have any questions regarding this policy.

AllertonEPS-Software.co.uk

184 Mather Avenue
Allerton
Liverpool
L18 7HD

Landline – 0151 729 0095

Mobile – 07944 296136

Last Revision - 25/12/08